


Bronchiolitis



S	M	T	W	T	F	S
Incubation: 3-5 Days						
Children <2 Years Old						
Most 3-6 Months Old						
Risk: Premies/LBW						
Congenital Heart Disease						
Winter Peak						
#1 Cause of Hospitalization						
<1 Years Old						

RSV #1
Metapneumovirus
Influenza/Parainfluenza
Adeno/Corona/Rhino
Viruses



Chickenpox

S	M	T	W	T	F	S
Incubation: 10–21 Days						
Average: 14–16 Days						
Peak: Winter & Spring						



Congenital & Perinatal Infections

**C
H
E
A
P
T
O
R
C
H
E
S**

CHICKENPOX



HEPATITIS



ENTEROVIRUSES



AIDS



PARVOVIRUS B-19

B-19

TOXOPLASMOSIS



OTHER
(GBS, LISTERIA, LYME)



RUBELLA



CMV

CMV

HERPES SIMPLEX



EVERYTHING
SEXUALLY TRANSMITTED



SYPHILLIS



Croup

(Laryngotracheobronchitis)






Steeple Sign

Erythema Infectiosum

(Fifth Disease)


(Slap Face)




Exanthem Subitum

(Sixth Disease)

(Roseola)




S	M	T	W	T	F	S
Incubation: 5-15 Days						
			3-5 Days			
			High Fever → RASH			
			Fever Resolves			



Hand, Foot, and Mouth Disease

(HFMD)


S	M	T	W	T	F	S
Incubation: 3-6 Days						
Fever 1-3 Days → Rash						
Common: <5 Years Old						
Self-Limiting: 7-10 Days						
Peak: Spring-Fall						



Kawasaki Disease

Fever >5 Days



- C** CONJUNCTIVITIS
(BILATERAL)
- R** RASH
(TRUNK/POLYMORPHIC)
- A** ADENOPATHY
(>15 MM CERVICAL)
- S** STRAWBERRY TONGUE
(RED THROAT)
- H** HANDS AND FEET
(EDEMA/RASH)



Measles

(Rubeola)

S	M	T	W	T	F	S
Incubation: 7-21 Days						
Average: 10-14 Days						
4 Ds				→ RASH		
3 Cs						



Thanks, Mom and Dad, for not giving me the vaccine!

High Fever



4 Ds
(Four Days)



Red
Maculopapular
Rash

Rash spreads from head to feet

3 Cs

Conjunctivitis

Coryza

Cough

Highly Contagious
Spread via Droplets

Koplik Spots on
Buccal Mucosa
Pathognomonic

**Early 2015 outbreak
at a Famous California
Theme Park!!**

Mumps

(Epidemic Parotitis)



S	M	T	W	T	F	S
Incubation: 12-25 Days						
Average: 16-18 Days						
Peak: Winter-Spring						



Pancreatitis

Orchitis
Ovarian Inflammation
Possible Infertility



Pertussis

(Whooping Cough)

(100-Day Cough)

S	M	T	W	T	F	S
Incubation: 4–21 Days						
Average Incubation: 5–10 Days						
Catarrhal Stage: 1–2 Weeks						
Paroxysmal Cough Stage: 1–6 Weeks						
Convalescence: Weeks to Months						

Catarrhal Stage

Runny Nose

Sneezing


Low-grade Temperature

Mild Cough



Cough Becomes Worse

Cough, cough
WHOO!



Paroxysmal Stage

Coughing Spells/Paroxysms



Inspiratory Whoop

Posttussive Vomiting

Cyanosis


Apnea in Infants

Subconjunctival Hemorrhage

Rib Fractures/PTX

Pneumonia

Paroxysms are
worse at night!



Rubella

(German Measles)
(3 Day Measles)

S	M	T	W	T	F	S
Incubation: 12-23 days						
Average: 14 days						
3 day RASH						
More common in winter and spring						

